


PERFORMANCE



PERFORMANCE 3 | 415 W

Commercial Solar Panel

SunPower Performance Panels wrap front contact cells with 30+ years of SunPower materials and manufacturing expertise. The weakest points of Conventional Panel design are eliminated to deliver superior power, reliability, value and savings.¹




High Power


Enhanced active area and mono PERC cells optimize power density, while lowering system costs.



High Performance

Up to 8% more energy in the same space over 25 years compared to Conventional mono PERC Panels.² Unique parallel circuitry maximizes energy production during morning and evening row-to-row shading, or when panels become soiled.





Engineered for Performance



- Robust and flexible cell connection technology. Outstanding reliability.
- Conductive adhesive, proven in the aerospace industry.
- Redundant cell to cell connections.
- Reduced panel temperature due to unique electrical bussing.



High Reliability

SunPower Performance Panels are the most deployed shingled solar panel in the world.³ Innovative cell shingling mitigates the leading reliability challenges associated with conventional front contact panels by designing out fragile ribbons and solder bonds on the cells. SunPower stands behind its panels with its industry-leading Complete Confidence Warranty. SunPower's Performance Line is warranted to produce more than 97.5% power in the first year, then declining by 0.5% per year, ending at 85.5% power after 25 years.



25 Year Combined Warranty




PERFORMANCE 3 | P3-415-COM-1500 Commercial Solar Panel

Electrical Data					
Model	SPR-P3-415-COM-1500	SPR-P3-410-COM-1500	SPR-P3-405-COM-1500		
Nominal Power (Pnom) ⁴	415 W	410 W	405 W		
Power Tolerance	+5/-0%	+5/-0%	+5/-0%		
Efficiency	20.1%	19.9%	19.6%		
Rated Voltage (Vmpp)	45.0 V	44.5 V	44.0 V		
Rated Current (Impp)	9.22 A	9.21 A	9.20 A		
Open-Circuit Voltage (Voc)	54.1 V	53.9 V	53.3 V		
Short-Circuit Current (Isc)	9.90 A	9.89 A	9.88 A		
Maximum System Voltage		1500 V IEC			
Maximum Series Fuse	18 A				
Power Temp. Coef.	−0.36% / °C				
Voltage Temp. Coef.		−0.29% / °C			
Current Temp. Coef.	0.05% / °C				

Tests And Certifications				
Standard Tests ⁵	IEC 61215, IEC 61730 Rated to 1500 V			
Quality Certs	ISO 9001:2008, ISO 14001:2004			
EHS Compliance	OHSAS 18001:2007, Recycling Scheme			
Ammonia Test	IEC 62716			
Desert Test	MIL-STD-810G			
Salt Spray Test	IEC 61701 (maximum severity)			
LeTID Test ⁶	IEC 61215 (MQT 23.1 LeTID detection) draft standard			
PID Test	Potential-Induced Degradation free: 1500 V			
Available Listings	TUV			

Operating Condition And Mechanical Data				
Temperature	-40°C to +85°C			
Impact Resistance	25 mm diameter hail at 23 m/s			
Solar Cells	Monocrystalline PERC			
Tempered Glass	High-transmission tempered anti-reflective			
Junction Box	IP-67, Stäubli MC4-Evo2, 3 bypass diodes			
Weight	22.3 kg			
Max. Load	Wind: 2400 Pa, 245 kg/m² front & back			
IVIAX. LUAU	Snow: 5400 Pa, 550 kg/m² front			
Frame	Class 2 silver anodized			





- (A) Cable Length: 1200 mm +/-15 mm
- (B) Long Side: 32 mm Short Side: 24 mm

Read safety and installation instructions before using this product.

	998 mm	## 0
	FRAME PROFILE	
1 Independent Shade Study by CFV Laboratory. 2016. 2 SunPower 425 W, 20.6% efficient, compared to a Conventional Panel on same-sized arrays (370 W mono PERC, 19% efficient, approx. 1.94 m²), 0.25%/yr	40 mm	

1.5, and cell temperature 25° C. 5 Class C fire rating per IEC 61730.

project." PV-Tech.org. March 2017.

and Application. PVSC 2018).

- 6 Fraunhofer CSP LID Sensitivity according to IEC 61215 (MQT 23.1 LeTID detection), <1% power loss.

slower degradation rate (Jordan, et. al. Robust PV Degradation Methodology

 $4\,\mbox{Measured}$ at Standard Test Conditions (STC): irradiance of 1000 $\mbox{W/m}^2$, \mbox{AM}

3 Osborne. "SunPower supplying P-Series modules to a 125MW NextEra

Designed in USA, assembled in China.

See www.sunpower.com for more reference information. Specifications included in this datasheet are subject to change without notice.

©2019 SunPower Corporation. All rights reserved. SUNPOWER and the SUNPOWER logo are registered trademarks of SunPower Corporation in Europe, the U.S., and other countries as well.



533800 REV A / A4_EN Publication Date: January 2020



UK: 0 8082818718 | Other EU: 00 800 855 81111